

GOWNS

HPV wants to hear from companies with the capacity to supply gowns to support a centrally managed State Supply Chain (SSC). The SSC has been established to ensure essential supplies reach areas with the greatest clinical need. If you have capacity to supply the products outlined below please contact us at suppliers@hpv.zendesk.com. If you would like to offer manufacturing capability to make supplies for the COVID-19 response, please send your offer to medicalPPEsupplies@djpr.vic.gov.au.

If your PPE and equipment are not TGA certified, you will need to begin the application process. Please contact the TGA directly to start this process in parallel with HPV registration. Email: devices@tga.gov.au or call: 1800 141 144.

SCOPE

HPV is seeking the following types of gowns:

Isolation Gowns (pictured left)

Surgical Gowns (pictured right)



SPECIFICATIONS

At a minimum, all products must meet the following standards:

Isolation Gowns

- ANSI/AAMIPB70: 2012: Levels 2 to 4
- ASTM F2407, ASTM F1671 AQL 4% & RQL 20%
- ISO 16603:2004, ISO 16604:2004 or ASTM F1670 and ASTM F1671
- Non-sterile

Note: Thumb hook gowns desirable

Surgical Gowns

- ANSI/AAMIPB70: 2012: Levels 2 to 4
- ASTM F2407, ASTM F1671 AQL 4% & RQL 20%
- ISO 16603:2004, ISO 16604:2004 or ASTM F1670 and ASTM F1671
- Sterile
- Latex Free